

ClosureTurf® Typical Delivery, Handling and Storage Methods

Instructions for the proper Delivery, Handling and Storage of ClosureTurf® is located in the Installation Guidelines Manual as well as Section 01 19 73 of the CSI Specifications. Both documents are attached hereto.

Typical Photos Delivery, Handling and Storage

Geomembrane



Geomembrane on Flat Bed Semi



Removal of Geomembrane



Placement of Geomembrane



Trucks Staged for Unloading

Engineered Turf



Box Trailer w/ Turf Rows




Removal of Turf from Box Trailer



Aerial Photo of 72 Acre Turf & Geomembrane Laydown Area

202 Roll Geomembrane Layout
Stacked 3 High Max.



294 Roll Engineered Turf Layout
Stacked 3 High Max.

Roll Diameter is Approx. 3 ft.

ClosureTurf®, HydroTurf®, VersaCap® and HydroBlinder® products are U.S. registered trademarks that designate products by Watershed Geosynthetics, LLC. These products are the subjects of issued U.S. and foreign patents and/or pending U.S. and foreign patent applications.

<p>TITLE</p> <p>ClosureTurf® Geomembrane/ Engineered Turf Laydown Area</p>	<p>PRODUCT</p> <p>ClosureTurf® HydroTurf®</p>	<p>WG WatershedGeo® <i>Unearthing Solutions</i></p>
	<p>FILE No. 2017-100-CT-11-R2</p> <p>REV. 0 SCALE AS SHOWN</p> <p>CADD T.S.R. 07-2017</p>	